

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Public Water Supply Name

<u>58000</u> 2
List PWS ID #s for all Water Systems Covered by this CCR
The Federal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please Answer the Following Questions Regarding the Consumer Confidence Report
Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
Advertisement in local paper On water bills Other
Date customers were informed://
☐ CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
Date Mailed/Distributed:/_/
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
Name of Newspaper: The Portotoc Progress
Date Published: <u>5/25/11</u>
CCR was posted in public places. (Attach list of locations)
Date Posted: / /
CCR was posted on a publicly accessible internet site at the address: www
CERTIFICATION
hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State department of Health, Bureau of Public Water Supply.
Relate Dule 5-26-11
Date
Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

TEATHER WATER SER

2010 Annual Drinking Water Quality Report East Pontotoc Water Association PWS#: 0580001

May 2011

2011 JUN -2 AM 9: 28

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Eutaw Formation Aguifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the East Pontotoc Water Association have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Zebedee Prude at 662.213.2491. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Monday of each month at 7:00 PM at the East Pontotoc Water Office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2010. In cases where monitoring wasn't required in 2010, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

				TEST RES	ULTS			• •	
Contaminant Violation Date Level Range of Detects Unit MCLG MCL Likely S Or # of Samples Exceeding Measure— MCL/ACL Violation Or # of Samples Measure— Exceeding MCL/ACL							Likely Source	of Contamination	
Microbiolog	gical Co	ontamina	ants						
Total Coliform Bacteria	Υ	August	Monitoring		NA	0	ba	nce of coliform ecteria in 5% of onthly samples	Naturally present in the environment

8. Arsenic	N	2010	1.7	1.1 – 1.7	Ppb	n/a	1	Erosion of natural deposits; runor from orchards; runoff from glass and electronics production waste
10. Barium	N	2010	.135	.128135	Ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2010	.8	No Range	ppb	100	10	O Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2010	.3	0	ppm	1.3	AL=1.	3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2010	3	0	ppb	0	AL=1	 Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2010	8	6.1 - 8	ppb	50	5	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
22. Thallium	N	2010	2	.7 - 2	ppb	0.5		2 Leaching from ore-processing sites; discharge from electronics, glass, and drug factories
Disinfection	on By-l	Products	;					
Chlorine	N	2010	.5	No Range	ppm	0 MDI		Water additive used to control microbes

^{*} Most recent sample. No sample required for 2010.

Microbiological Contaminants:

Monitoring and Reporting of Compliance Data Violation

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During August 2010, we cannot be sure of the quality of your water because we did not monitor or test for bacteriological contaminants properly. We were required to take 4 samples, but only took/received credit for 3 samples due to clerical error.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The East Pontotoc Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Please note: This report will not be mailed out to customers individually, however a copy may be requested from our office.

⁽¹⁾ Total Coliforms. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

PROOF OF PUBLICATION

2017 JUN -2 AM 9: 28

STATE OF MISSISSIPPI PONTOTOC COUNTY

Printers fee \$ _

	ortolog County,	Mississippi, a	r of THE PON at the time the a	attached:	trac		4 4		
-							-		
was publishe	ed and that said	notice was r	oublished in said	l nones	1 .	i			ξ.
	times, as follows		menoriod in Said	r paper	- \	:	,		
	Volume 8	;3	, Number	<u>al</u> .	on the				٠
	Volume	day of _	, Number	2011			·	,	
			, Number		on the		: :		
٠.	Volume		, Number		on the		, j	.	
	Volume	-/1	, Number <u> </u>	· (on the		*		;; ;;
	Volume		_, Number	, c	-	. , .			
			, Number					•	•
		day of		, 2011	ar trie	;		:	
			aper, THE PONTO					ì	
	er 313 of the Acts		attached, as required at the State of						•
n in the year 1		•				. ,	م مرم	OF MISS	1800 ·

Notary Public

,		į.	• •	,	٠			And the party of the second	• **
Wednes	day, Ma	ay 25, 20	11		Por		_		ippi • Pontotoc360.com
T						LC	C.	AL & COMMU	NITY NEWS
	Page 6	iA			P	ROVE	Pö	ntotoc County	. !.
			. 20	10 Annual Drini East Pontoto PW:	ing Water c Water As #: 058000	Ciuality Re isociation	port		
We're please and services want you to are committee	ed to prese we delive understand ad to ensur	ont to you the flo you ever the efforts log the quali	is year's An y day, Our we make to by of your w	nual Quality Wat constant goal is to continually imp	or Report. To provide you	his report i u with a se er treatmen	design se and o	ed to inform you about the quality we opendable supply of directing water, is and protect our water resources, is the Eulaw Formation Aquifer.	ktor Wa
The source of water supply provided into furnished to discourse format in the source of the source o	water asse to identify mediately b our public y	esment has potential so elow. A rep vater system	been com arcse of co ort contains and is ave	pleted for our pur stamhetion. The ng detailed infon diable for viewing	blic water sy general susc nation on ho upon reques	ntern to de ceptibility now the aus	wing from Hormings Coptibilities for the	n the Eulaw Formation Aquitier, the overall susceptibility of its drink sesigned to each well of this system by determinations were made has be East Pontoloc Water Association ha	ing tre
If you have a our valued or	ny question usiomers to	ns about this be informe	report or o	oncoming your w	rater utility, p	lease cont	ad Zeb	idea Prude at 862.213.2491, We wa	j.
We toutinely drinking water ween't require naturally occur of animals or resouring or residential user residential residential user residentia	monitor for contamination in 2010, arring miner from humans, agricultures utilities and est organic	or constituent ants that we the table red tabl	ts in your detected of lects the me lome cases crobial com operations water run water may	drinking water a furing the period out recent results i, redicactive mat taminants, such a and wildlife; inco off, industrial, or come from a va-	of January. As water traits and case viruses an ganio contact domestic warlety of sour	Federal and 1" to Decide avels over ship lick up to the bacteria, minants, stationater of the such	d State imber 3 the surfi lubstan that mu ich as a fischary as agri	assend any of our regularly schedule on offices, in offices, "2010, in cease where monitors "2010, in cease where monitors in 2010, in cease where monitors see or conditionable from the presence or conditionable from the presence of conditionable from the presence the and metals, which can be network that and metals, which can be network that and metals, which can be precided industrial that where the presence of industrial that the presence of the presence to rediscover of the presence to the presence of the presence that the presence of the presence that the presence that the presence the presence of the presence that the presence that the presence that the presence the presence that the presence the presence that the presence the presence that the presence the p	has been been been been been been been bee
processes and be naturally or EPA prescribe inologing bottle remember that	d potibleum counting or le regulation ad dishking I the presen	production be the result to that limit water, may	and can a of oil and the amount be treson	leo come from g gas production a of certain contain by expected to:	as stations and mining ac mining ac mining ac mining act in w	me organic and septic stivities. In ater provid ast small a	chemic systemi order to ed-by po nounts	ale, which are by-products of industri, ; radioactive contaminants, which ca ensure that sap water is safe to drin billio water systems. All drinking water of \$0000 considerate. It's important	
In this table yo provided the to	u will find n	nany terms : Initions:	and abbrevi	ations you might	not be famili	de with To	note yo	seeps health risk.	*
Action Layer - must foligie Treatment Tec	the concer	tration of g	contemina	t which, if excee	ded, triggen	tresimen	or other	r requirements which a Wester system 10 journ of a contembrank in drinking	,
Water.			10.00	ing in a ladellen	blooms No	euosa to t	edyce t	to fovel of a conteminarit in drinking	1
Meximum Confi	re set es ci: aminant Le	vel Goel (M	CLGs as fo CLG) - The	esible using the i "Gost (MCLG) is	the level of	e påspueu Angel isto	techno	interminent that is allowed in drinking 939. Inking water below which there is no	1
deximum Resid	iusi Disirik	octant Lavol	(MRDL) -	e margin of sef The highest lev	Hy. Sion's dhain	foctani 'elli	بر د بب	drinking water. There is convincing	
eximum Reald opected risk of	tual Distrib health, MF	ctent Level RDLGs do no	Goal (MRC of reflect the	ry for control mica V.G) The level a benefits of the t	oblai conten of a drinking se of disinfa	water dis	infectar	t below which there is no known or lorobial contaminants.	
			-						
Contaminant	Violetion	Company		Range of Dates or # of Sample Exceeding MCL/ACL	Messure	Moto	MG	Likely Source of Contamination	
Vicrobiolo Total Collors	gical C	Ontamin August	Ants Montoring	7	INA	1:	<u>ئىپ</u> ا <u>دىسى</u>	product of great accept	
norganic	Conton	lana.	<u></u>		ــــــــــــــــــــــــــــــــــــــ		pre	ence of colliforn Neturally present increase at 6% of in the environment	
B. Arsenic	N	2010	1.7	1.1 - 1.7	Ppo	Die		CENHOLD.	
0. Barium	N-	2010	.135	.126 - 135	Ppm	2		Dispalso of natural deposits; runoff from ochabids; runoff from ochabids; runoff from glass and alsohances production speaks; Discharge of offstig sealing; discharge from metal reflectings dispalse; discharge from runoff reflectings; arosition of natural deposits; programmer of makers; dispalse deposits; programmer or makers; dispalse; programmer of makers; dispalse; programmer or makers; dispalse of ma	
3. Chromium	N	2010		No Range	ppb .	100	10 50	discharge from metal refineries; erosion of natures deposits	
4. Copper	N	2010	3	0	ppm	7.5	AL-E	Discharge from steel and pulp mile; growin of maken't deposits mile; growin of maken't deposits Correlatin of received planning systems; arealon of natural deposits; leaching from wood preservatives	
. Lago	N	2010	3	0	ppb	-0	··· Alberto	Complete of householders and	
. Selecium	N	2010	8	6.1 - 8	pod	- 50	60	deposits Discharge from calinium and	
Thallium	M	2010	2	.7-2	pob		2	Discharge from percelum and metal reflectes; arosion of motific deposits; dispharge from mines.	
isinfection	Rv.Pen	I					2000	Leaching from one-processing state; discharge from electronics, page 16, and phys factories	
onne	N 20	10 .5		Range pp	1	O MORE	=4 W	COMPTE DE CIC.	
cat recent reinple Molegical Cancer tal Collibrat, Colli	s. No sample deaner briss are beau	required for orls (ket urs ass	2010.	hin.				nifer widely to just discontrol probes	
	orting of Co monitor your or not our	rempliance Dr xur drinking drinking wat	illowed and the ide Violetics water for a for meets h	in the anvirousient a is was a versing of p a pocific constitue cells standards.	otential problem	m indicator d	Regu	contribility-harmed, biostria may be a of frequent modelsoring are an a of secure of the quality of your of to bias, a semples, but only	
sent, elevated by water is prin	for 3 sample levels of te	es due to cie	ror pacterio prices error.	Nogical contamin	expeciative	y. We wor	neque Negreta	of to take a samples, but only	
nsible for provide letter has been as before using information or ng Water Hotin	ding high quality of sitting for a water for a	puelty drinks everal hours drinking or o tricing water	y compane ng water, b i, you can r coking. If y testing me	nts associated will cannot control of cannot control ninimize the pote ou are concerne thods, and staps	if service in the variety of that for lead a shout lead you can take	was and ho materials exposure s in your w	north the plan taged a ly flush ater, you	of to take a semples, but only the property of	
lead testing. Pr	ease conta	ct 601.578	682 if you	wish to have you	water testac	e Departm	ort of H	health Public Health Laboratory	